Ø

	Application No.	Applicant(s)
•	10/766,584	ISHIBIKI, KOUTA
Notice of Allowability	Examiner	Art Unit
	Beverly M. Flanagan	3739
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS Is herewith (or previously mailed), a Notice of Allowance (PTOL-8 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT I of the Office or upon petition by the applicant. See 37 CFR 1.3	S (OR REMAINS) CLOSED in th 5) or other appropriate communion RIGHTS. This application is sub	is application. If not included cation will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>Amendment & Term</u>	ninal Disc. — filed 4/21/05.	
2. The allowed claim(s) is/are <u>1-10</u> .		
3. \boxtimes The drawings filed on <u>27 January 2004</u> are accepted by the second seco	the Examiner.	
 4. Acknowledgment is made of a claim for foreign priority of a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority of International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	ve been received. ve been received in Application N	No. <u>10/183,076</u> .
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		reply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be sub INFORMAL PATENT APPLICATION (PTO-152) which gi		
6. CORRECTED DRAWINGS (as "replacement sheets") me (a) including changes required by the Notice of Draftspe 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examine Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in 7. DEPOSIT OF and/or INFORMATION about the depattached Examiner's comment regarding REQUIREMENT.	erson's Patent Drawing Review (the Office action of drawings in the front (not the back) of 1.121(d). IAL must be submitted. Note the
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948 3. Information Disclosure Statements (PTO-1449 or PTO/SB) 6. ⊠ Interview Sum Paper No./Ma	il Date
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.	Bevery-M. Flanagan Primary Examiner Art Unit: 3739

Application/Control Number: 10/766,584

Art Unit: 3739

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney Thomas Spinelli on June 2, 2005.

The application has been amended as follows:

In the specification:

At page 1, line 3, after "10/183,076" insert --, now U.S. Patent No. 6,843,768,--.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Beverly M. Flanagan whose telephone number is (571) 272-4766. The examiner can normally be reached on Mondays, Tuesdays and Thursdays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda C.M. Dvorak can be reached on (571) 272-4764. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Page 3

Application/Control Number: 10/766,584

Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 3739

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Beverly M. Flanagan Primary Examiner

Art Unit 3739
